



## TOWN OF AMENIA TOWN BOARD

---

4988 Route 22, AMENIA, NY 12501  
(845) 373-8860 [www.ameniany.gov](http://www.ameniany.gov)

June 7, 2018  
Supervisor's Report

1. **Wassaic Trail to the Train Update** –Town Attorney is working with a Title Search Company for required Certifications. The ROW AGREEMENT TO PURCHASE REAL PROPERTY with taking maps emailed to Wassaic property owner for execution. Property owner still working on the agreement.
2. **Town of Amenia Highway Garage Land Update** – [Email from OGS today states “in the process of preparing the Declaration of Abandonment with DEC \(pursuant to section 30a of the Public Lands Law\) which should be completed soon”](#)
3. **Old Amenia Landfill Update** – Attended conference call on May 31, 2018 for Operation and Management of the site with Environmental Attorney, PVE monitoring company, and Town of Sharon officials to review status of testing to date, new sampling requirements from DEC, and replacement of Monitoring Well #9 which was damaged by a fallen tree in addition to amendment of inter municipal agreement between the Town of Amenia and the Town of Sharon.
4. **Hazardous Mitigation Grant** – The Town of Amenia developed a Hazardous Mitigation plan with Dutchess County to identify vulnerable areas so that after it was complete and sent to NYS grant money would be available. NYS Division of Homeland Security and Emergency Services required an initial Letter of Intent for the current grant cycle. The Letter of Intent sent from the Town of Amenia for Bank Stabilization on Deep Hollow Road for \$80,000 was collaboration between grant writer Mike Hagerty and Highway Superintendent Megan Chamberlin.
5. **Climate Smart Certification-** Met with HVA members on May 25, 2018 regarding the first steps to take for certification through Climate Smart grant opportunities. In addition, The Town of Dover is hosting a Climate Smart Communities meeting on June 12<sup>th</sup> in order to explore options where towns can work together to meet certification goals.

